Date:

Tuesday, 12/6/2005 9:24:23 AM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 25113

Estimate Number

: 11209

P.O. Number

This Issue

Prsht Rev.

First Issue

: YIA

: 12/6/2005

S.O. No. : N/A

: NC

: NIA

Type

Part Number

Drawing Name

: D31701

Drawing Number

: D3170 REV A

: SPACER

Project Number **Drawing Revision** : N/A

Material

: A :N/A

Due Date

: 12/13/2005

Qty:

10 Um:

Each

Written By

Previous Run

Checked & Approved By

: NIA

: Est Rev:A 02.10.11

: MACHINED PARTS

New issue KJ

Comment

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M5052H32S080



5052-H32 .080 Sheet

Comment: Qty.:

0.0655 sf(s)/Unit Total:

Material: 5052-H32 (QQ-A-250/8) 0.080" thick

(M5052H32S.080) Batch: <u>1119052</u>

2.0

SHEAR

SHEAR





Comment: SHEAR

(-0.00/+0.010)Cut blanks: 11.990" x 0.750"

3.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

1-Machine per folio FA282 and Dwg D3170

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE





Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK

Comment: SECOND CHECK

Page 1

Form: rprocess

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE		Date	Date Qty		Approval QC Inspector			
			:		-					

Part No:	PAR #:	Fault Category:		NCR: Yes No	DQA:	Date: 05/2/20
				QA: N/C C	losed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval	Annewal			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspecto			
			•								
		•									
	-										
								1			

NOTE: Date & initial all entries

Date: Tuesday, 12/6/2005 9:24:24 AM Kim Johnston User: **Process Sheet** Drawing Name: SPACER Customer: CU-DAR001 Dart Helicopters Services Part Number: D31701 Job Number: 25113 Job Number: Description: Seq. #: Machine Or Operation: SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 6.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 18/12/05 Deburr 540 HAND FINISHING RESOURCE #1 HAND FINISHING1 7.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 INSPECT WORK/WING WALK 8.0 QC3/5 Comment: INSPECT WORK/CHEMICAL CONVERSION PACKAGING 1 PACKAGING RESOURCE #1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: WA DOCUMENT CONTROL 10.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector		
				·					
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _			
			QA:	N/C Close	d:	Date: _			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B				Annsovol			
DATE	STEP	Section A	Initial Chief Eng			Verification Section C	Approval Chief Eng	Approval QC Inspecto			
				ř							
						:					
		 									
						1					


NOTE: Date & initial all entries



Ų,



DESIGN	a DRAWN BY	DART AEROS HAWKESBURY, ONT	
CHECKE	APPROVED	DRAWING NO.	REV. A SHEET 1 OF 1
DATE	02.09.11	SPACER	SCALE 1:3
A	02,09.11	NEW ISSUE	



D3170-1 SPACER

- 1) MATERIAL: 5052-H32 (QQ-A-250/8) 0.080 THICK (REF DART SPEC. M5052H32S.080) 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1 3) BREAK ALL SHARP EDGES 0.005 TO 0.010

- 4) PART IS SYMMETRIC ABOUT CENTERLINE 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

COPYRIGHT @2002 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	25113
Description: Spacer	Part Number:	D3170-1
Inspection Dwg: D3170 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	Tolerando	Dimension	n /		Inspection	
0.708	+/-0.010	.709				
0.358	+/-0.010	.359	//	***		
0.350	+/-0.010	.358	1			
2.600	+/-0.010	2600				
4.850	+/-0.010	4-850				
7.100	+/-0.010	7.100				
9.350	+/-0.010	9-350				
11.600	+/-0.010	11.600				,
11.950	+/-0.010	11.950				
Ø0.128	+0.005/-0.000	./30				
					·	
					w.m.	
						· · · · · · · · · · · · · · · · · · ·

Measured by:	J.L	Audited by:	and	Prototype Approval:	N/A
Date:	05.12.15	Date:	05/12/15	Date:	N/A

Rev	Date	Change		Revised by	Approved
Α	05.04.26	New Issue	P/O D3077-1	KJ/JLM	